



I N S A F E H A N D S

CATALOGUE

Disposable and reusable gloves
for professionals




www.reflexx.com

IN SAFE HANDS

Reflexx is leader in the sale of **nitrile, latex, vinyl, polyethylene, disposable and reusable gloves.**

Reflexx's mission is to provide the maximum protection, constant quality and innovation at the most convenient price for professional gloves.

Reflexx gloves have medical, workplace safety and food contact certifications that guarantee the maximum quality, resistance and product safety.



headquarter VIADANA (MN) ITALY

sales office GENOVA ITALY

INNOVATIVE PRODUCTS

PARTNERSHIP with the most important manufacturing companies in the Far East

SALES CHANNELS

Reflexx provides its products only to **professional users through specialized distributors** in the following sales channels:

Dental	Food	Laboratory and medical	Janitorial and cleaning companies	Industrial	Cosmetics and tattoo artists
--------	------	------------------------	-----------------------------------	------------	------------------------------

4-5 Usage industries

6-7 Regulations

8-14 Food Line

Reflexx 77 FOOD
Reflexx 72
Reflexx T22
Reflexx 95
Reflexx N81

15-20 Care Line

Reflexx NBio
Reflexx L600
Reflexx N350

20-37 Nitrile

Reflexx 99
Reflexx N79 Plus
Reflexx N65 Plus
Reflexx N85
Reflexx N85 Black
Reflexx 67
Reflexx N69
Reflexx 68
Reflexx 70
Reflexx N73
Reflexx N71
Reflexx 78
Reflexx 76
Reflexx 77
Reflexx N82
Reflexx N80B

38-43 Latex

Reflexx 98
Reflexx 44
Reflexx L45
Reflexx 46
Reflexx 40

44-45 Vinyl

Reflexx 36

46-47 Polyethylene

Reflexx 18

48-54 Supported

Reflexx PU22
Reflexx N16
Reflexx PU18 Grey and Black
Reflexx N121
Reflexx PU131

55-60 Reusable

Reflexx 101
Reflexx 97
Reflexx 95
Reflexx 94
Reflexx 90 / Reflexx 92

61-64 Feather Line

Feather Cotton
Feather Plus
Feather Latexx PF
Feather Nitrex
Feather Flexx PF

65-67 Marketing





DENTAL

REFLEXX NBio
REFLEXX L600
REFLEXX N350

REFLEXX 40
REFLEXX 46

REFLEXX 76
REFLEXX 77
REFLEXX N82
REFLEXX N80B



LABORATORY AND MEDICAL

REFLEXX NBio
REFLEXX L600
REFLEXX N350

REFLEXX 40
REFLEXX 46
REFLEXX 98 HR

REFLEXX 99 NHR
REFLEXX 68
REFLEXX 70
REFLEXX N73
REFLEXX N71
REFLEXX 76
REFLEXX 77
REFLEXX N82
REFLEXX N80B

REFLEXX 36



FOOD

REFLEXX NBio

REFLEXX N65 PLUS
REFLEXX 77
REFLEXX 72
REFLEXX N81
REFLEXX T22
REFLEXX 95

REFLEXX 99 NHR
REFLEXX 70
REFLEXX N71

REFLEXX 18

REFLEXX 97 HD





INDUSTRIAL

REFLEXX 46
REFLEXX 44
REFLEXX 98 HR

REFLEXX 99 NHR
REFLEXX N79 PLUS
REFLEXX N85/N85B

REFLEXX N69
REFLEXX 68
REFLEXX 67
REFLEXX 70
REFLEXX N73
REFLEXX N71

REFLEXX PU22 CUT
REFLEXX N16 MS
REFLEXX PU18G/B
REFLEXX N121
REFLEXX PU131

REFLEXX 95
REFLEXX 94
REFLEXX 97 HD
REFLEXX 101 HD



JANITORIAL AND CLEANING COMPANIES

REFLEXX NBio
REFLEXX N350


REFLEXX 98 HR
REFLEXX 46

REFLEXX 99 NHR
REFLEXX 70
REFLEXX N73
REFLEXX 76
REFLEXX 77
REFLEXX N82
REFLEXX N80B

REFLEXX 36

REFLEXX 94
REFLEXX 90
REFLEXX 92

FEATHER COTTON
FEATHER Plus
FEATHER Latexx PF
FEATHER Nitrex
FEATHER Flexx PF



COSMETICS AND TATTOO ARTISTS

REFLEXX NBio
REFLEXX N350

REFLEXX 46
REFLEXX 44
REFLEXX L45

REFLEXX N79 PLUS
REFLEXX 78
REFLEXX 76
REFLEXX N82



Medical Devices (MD)



The EU Regulation 2017/745, enforced on May 26, 2021, in all EU countries, replaces Directive 93/42 /EEC and provides the requirements for the Medical gloves production, as well as the obligations of labeling and assessment of biological safety and validity. Gloves are medical devices that ensure protection from contamination to the patient and to the user, they are considered a real barrier to fluids and microorganism. Standards EN 455 parts 1,2,3 and 4.

AQL
≤1,5

AQL is the Acceptable Quality Level of the product and indicates the acceptable maximum number of flaws during a sample inspection. The higher the AQL value is, the lower is the product quality. The strict European regulations regarding Medical Devices (standard EN 455-2) and Personal Protective Equipment (Reg. EU 2016/425 - standard EN 374-2) uniformly require an AQL for micro-holes ≤ 1.5 as an effective barrier against microorganisms (fungi and bacteria).

Personal Protective Equipment (PPE)



The new PPE Regulation EU 2016/425 has amended in April 2018 and replaced the previous PPE Directive 89/686/EEC. The new PPE regulation now specifies three classes based on risk definitions:

CAT I: minimal risk; self-certified.

CAT II: risks other than those listed in Categories I and III; certified by approved body.

CAT III: very serious risks which may cause death or irreversible damage to health; certified by approved body.

Only the approved bodies may issue a CE mark for PPE CAT II and CAT III. The gloves may not be sold or used without a proper CE mark.

EN 420:2003 + A1:2009



This standard defines the general requirements for glove design, marking and sizing applicable to all protective gloves.

At European level it has been replaced by **EN 21420:2020**.




HOW TO MEASURE YOUR HAND IN ORDER TO CHOOSE THE RIGHT GLOVE SIZE

- Use a dressmaker's cloth tape to measure the circumference of the palm of your hand at its widest point (in mm).
- Cross reference that measurement with the table provided below.

	XS	S	M	L	XL	XXL
GLOVE SIZE	6	7	8	9	10	11
HAND CIRCUMFERENCE - MM	152	178	203	229	254	279

EN 374-1:2016+A1:2018

This standard specifies the capability of gloves to protect the user against chemicals and/or micro-organisms.

CLASSIFICATION	MINIMUM PERFORMANCE LEVEL REQUIRED	MINIMUM NUMBER OF CHEMICALS FROM THE 18 LISTED	ICONS
TYPE A	2 (≥ 30 min breakthrough)	6	EN ISO 374-1:2016/Type A 
TYPE B	2 (≥ 30 min breakthrough)	3	EN ISO 374-1:2016/Type B 
TYPE C	1 (≥ 10 min breakthrough)	1	EN ISO 374-1:2016/Type C 

Permeation Time

It is the time taken for the hazardous liquid to pass through the gloves and get in contact with the hand's skin.

Degradation

It is the change in puncture resistance of a protective glove due to contact with a chemical. The change after chemical contact shall be tested for all permeation tested chemicals on the glove and the result mentioned in the instructions for use.

PROTECION INDEX	BREAKTHROUGH TIME
Level 0	< 10 Min
Level 1	> 10 Min
Level 2	> 30 Min
Level 3	> 60 Min
Level 4	> 120 Min
Level 5	> 240 Min
Level 6	> 480 Min

CODE	CHEMICAL COMPOUND	CAS NUMBER	CLASS
A	Methanol	67-56-1	Primary alcohol
B	Acetone	67-64-1	Ketone
C	Acetonitrile	75-05-8	Nitrile compound
D	Dichloromethane	75-09-2	Chlorinated hydrocarbon
E	Carbon disulphide	75-15-0	Sulphur containing organic compound
F	Toluene	108-88-3	Aromatic hydrocarbon
G	Diethylamine	109-89-7	Amine
H	Tetrahydrofuran	109-99-9	Heterocyclic and ether compound
I	Ethyl acetate	141-78-6	Ester
J	n-Heptane	142-82-5	Saturated hydrocarbon
K	Sodium hydroxide 40%	1310-73-2	Inorganic base
L	Sulphuric acid 96%	7664-93-9	Inorganic mineral acid, oxidizing
M	Nitric acid 65%	7697-37-2	Inorganic mineral acid, oxidizing
N	Acetic acid 99%	64-19-7	Organic acid
O	Ammonium hydroxide 25%	1336-21-6	Organic base
P	Hydrogen peroxide 30%	7722-84-1	Peroxide
S	Hydrofluoric acid 40%	7664-39-3	Inorganic mineral acid
T	Formaldehyde 37%	50-00-0	Aldehyde

EN ISO 374-5:2016

Performance requirements for micro-organisms risks.

EN ISO 374-5: 2016



Pictogram for protective gloves against bacteria and fungi.

EN ISO 374-5: 2016




VIRUS

For protection against bacteria, fungi and virus. The term VIRUS underneath is enclosed to the biohazard pictogram. Tested according to ISO16604:2004 (Phi-X174 bacteriophage).

EN 388:2016+A1:2018

EN 388:2016 +A1:2018



abcdef

	PERFORMANCE LEVEL RATINGS
a - Abrasion resistance (cycles)	1-4
b - Blade cut resistance (Coupe Test / Index)	1-5
c - Tear resistance (newton)	1-4
d - Puncture resistance (newton)	1-4
e - EN ISO Cut resistance (newton)	A-F
f - EN Impact protection	(P) Passed - (F) Failed

Level X can also be applied for "a" through "f" above, which means "not tested" or "not applicable"

FOOD LINE: 100% FOOD SAFETY

The Reflexx Food gloves were among the first to be specially conceived and designed for the food sector and they are continuously evolving. This is a complete line of gloves with a range of differing characteristics, a products line which can be used with all types of food and in various professional sectors where gloves are used on a daily basis: the food processing and transformation industry, restaurant kitchens of all sizes, canteens, mass catering and the food sectors of large-scale retail (delicatessens, charcuterie, fishmongers, bakeries).

Food Contact Material (FCM)



The glove meant for food use is not only a fundamental hygiene measure, it is also an FCM - Food Contact Material (Reg 1935/2004/EC - Reg 2003/2006/EC - Italian Ministerial Decree 21.03.73, EU Reg. 10/2011 and subsequent updates and changes).

What are FCMs? "Any material or article intended to come into contact with food shall be manufactured in compliance with good manufacturing practice so that they do not transfer their constituents to food in quantities which could: endanger human health, cause an unacceptable change in the food composition, or bring about a deterioration in the organoleptic characteristics thereof."

All subjects in the food production chain (producer/distributor/final user) are legally obliged to verify and respect the requirements of the legislation regarding FCMs. In line with law requirements, all Reflexx gloves are tested for overall and specific migration, using food simulants as shown in the chart here below.

FOOD CATEGORIES AND SIMULANTS ACCORDING TO REG EU 10/2011

ABBREVIATION	FOOD SIMULANTS	SIMULATED FOOD
Food simulant_A	Ethanol 10% (v/v)	Aqueous
Food simulant_B	Acetic acid 3% (p/v)	Acid
Food simulant_C	Ethanol 20% (v/v)	Alcoholic
Food simulant_D1	Ethanol 50% (v/v)*	Dairy
Food simulant_D2	Vegetable oil	Oily, fatty
Food simulant_E	Poly 2,6-diphenyl-p-phenylene oxide, (MPPO)	Dry

* Tested with Ethanol 50% complying with EU Regulation 10/2011

GLOVES FOR ALIMENTARY USE ARE NOT ALL THE SAME

The gloves of the Reflexx Food Line are **tested several times a year** in qualified European laboratories beyond what is required by law to verify the stability of the materials in different production batches.

All the gloves of the Reflexx Food Line have obtained and still obtain, in each test, global and specific migration results within the normal limits. The gloves of the Reflexx Food Line are tested for the presence of NIAS (Non Intentionally Added Substances) and for the specific migration of metals (including lanthanides) and primary aromatic amines.

Also tested with 50% Ethanol simulant for dairy food, according to the European Regulation 10/2011.

WHY ARE THE FOOD GLOVES BLUE?

The colour of gloves meant for food use is not accidental. Blue is not a colour found in any foodstuffs, and therefore in the case of cuts to the glove, any fragments can be immediately identified, thus eliminating the risk of contaminating the food. With a view to HACCP guidelines, and therefore Risk Analysis, the use of a blue glove is clearly a suitable precautionary measure.



SUITABILITY FOR CONTACT WITH THE MOST COMMON FOODS

FOOD	FOOD LINE	LATEX	NITRILE	VINYL
ALCOHOLIC BEVERAGES	●	●	●	●
BISCUIT PRODUCTS, BAKERY, FRESH AND DRY PASTRIES	●	●	●	●
CHOCOLATE, SUGAR AND THEIR PRODUCTS, CONFECTIONERY AND HONEY	●	●	●	●
FRUITS AND VEGETABLES	●	●	●	●
DAIRY PRODUCTS: MILK, YOGHURT, CHEESE	●	●	●	●
FRESH FISH, CHILLED, SMOKED, CRUSTACEANS AND MOLLUSCS; MEATS OF EACH SPECIES FRESH CHILLED AND SMOKED, HAM, SALAMI	●	●	●	●
VINEGAR, DRINK UNFILTERED OR TURBID COFFEE, TEA, BEERS, SOFT DRINKS	●	●	●	●
FATS AND OILS: BUTTER, LARD, MARGARINE, EGG YOLK AND EGG WHITE. MISCELLANEOUS REASTED OR FIRED FOODS, SANDWICHES	●	●	●	●
SAUCES, SPICES AND AROMAS	●	●	●	●

Summary table showing the results of the tests carried out by Reflexx at certified laboratories on all of the Reflexx products, including those not belonging to the FOOD line.

● Suitable ● Unsuitable ● Check the information

The Italian Chefs Federation approves the Reflexx Food Line

Nowadays, most Italian professional chefs use gloves from the Reflexx Food line in their everyday work. A milestone resulting from the partnership born between the Italian Chefs Federation and Reflexx some years ago.



ACADEMIA BARILLA

The first center dedicated to Italian gastronomic culture has chosen the quality of Reflexx gloves.



REFLEX 77

Main use



ULTRA THIN NITRILE GLOVES

LIKE A SECOND SKIN

Carefully-selected raw materials, and technologically advanced production plants make this glove particularly suitable for food use.

3.0 g weight, ultra-thin, for maximum sensitivity. Quality materials provide excellent resistance.

Powder free gloves reducing the risk of food contamination and dermatitis.



100% FOOD

Features

Weight	3,0 gr +/- 0,2 (M)
Palm thickness	0,06 mm +/- 0,02
Length	24 cm
Colour	Light Blue
Surface	Micro-roughened

Allergens



Other

Inner chlorination



Food Suitability

Tested for 30' at 40°



Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✓	Oily, fatty	✓
Dairy	✓	Dry food	✓

Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type C
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R77100F/S	8032891633878	8032891638873
R77100F/M	8032891633892	8032891638897
R77100F/L	8032891633922	8032891638927
R77100F/XL	8032891633953	8032891638958

Packing



REFLEX 72

Main use



RELIABLE AND RESISTANT NITRILE GLOVES

APPROVED BY USERS SINCE 2015

One of the first gloves on the market to be specifically developed for contact with all kind of food.

3.5 g weight is the ideal balance between sensitivity, resistance and durability.

Powder free gloves reducing the risk of food contamination and dermatitis.



100% FOOD

Features

Weight	3,5 gr +/- 0,2 (M)
Palm thickness	0,07 mm +/- 0,02
Length	24 cm
Colour	Light Blue
Surface	Micro-roughened

Allergens



Other

Inner chlorination



Food Suitability

Tested for 30' at 40°

*use ≤10'



Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✓*	Oily, fatty	✓
Dairy	✓	Dry food	✓

Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type C
EN ISO 374-5:2016	Microorganisms (bacteria/fungi)
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R72/S	8032891633298	8032891637593
R72/M	8032891633304	8032891637609
R72/L	8032891633311	8032891637616
R72/XL	8032891633328	8032891637623

Packing



REFLEXX T22

Main use



THERMOPLASTIC ELASTOMER GLOVES (TPE)

IDEAL FOR SUSHI

Easy donning and removal thanks to the wide cuff and the availability of several sizes. Its rough surface allows a secure grip and increased sensitivity.

Good resistance and elasticity in comparison to polyethylene gloves thanks to increased thickness and the use of more flexible materials.



Great value for money if the glove is needed just for hygienic purpose.

The absence of powder reduces the risk of food contamination or dermatitis.



100% FOOD

Features

Weight	2,0 gr +/- 0,1 (M)
Palm thickness	0,05 mm +/- 0,003
Length	27 cm
Colour	Blue
Surface	Micro-roughened

Allergens



Other

Silicon not present in the gloves' composition.



Ideal for sushi



Idoneità Alimentari Tested for 2h at 40°

Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✓	Oily, fatty	✓
Dairy	✓	Dry food	✓

Certifications

PPE Cat. I	Reg EU 2016/425
Food Contact	Reg EU 10/2011



PPE | DPI
Cat. I



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
T22/S	8032891634882	8032891639887
T22/M	8032891634899	8032891639894
T22/L	8032891634905	8032891639900

Packing



Main use



REFLEXX 95

UNLINED NITRILE GLOVES

33CM REUSABLE GLOVES

Ideal for the food industry for the handling of sharp-surfaced foods such as fish, crustaceans, bones, etc.

Good to be used as reusable latex-free gloves.

Do not contain MBT (mercaptobenzothiazole, accelerator used in production) which is subject to restrictions according to FCM regulations.

Sold in pairs.



100% FOOD

Features

Pair weight	44,0 gr +/- 5,0 (M)
Palm thickness	0,22 mm +/- 0,03
Length	33 cm
Colour	Blue
Surface	Anti-slip pattern

Allergens



Other

Unlined; silicon not present in the gloves' composition.



Food Suitability Tested for 30' at 40°



Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✓	Oily, fatty	✓
Dairy	✓	Dry food	✓

Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KOPT
EN ISO 374-5:2016	Microorganisms (bacteria/fungi)
EN 388:2016+A1:2018	2101X
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



PPE | DPI
Cat. III



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R95/S	8032891632543	8032891637548
R95/M	8032891632550	8032891637555
R95/L	8032891632567	8032891637562
R95/XL	8032891632574	8032891637579

Packing



* 5 masterbag of 10 packs each

REFLEX N81

Main use



ULTRA THIN NITRILE GLOVES

FOOD SERVICE

3,2 g weight for maximum sensitivity and good resistance.

Disposable, ambidextrous, powder free and 100% latex free.

Black nitrile glove suitable for Ho.Re.Ca. services.

Powder free gloves reducing the risk of food contamination and dermatitis.



**FOOD SERVICE
ULTRA THIN**

Features

Weight	3,2 gr +/- 0,2 (M)
Palm thickness	0,06 mm +/- 0,02
Length	24 cm
Colour	Black
Surface	Micro-roughened

Allergens



Other

Inner chlorination



Food Suitability Tested for 30' at 40°



Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✗	Oily, fatty	✓
Dairy	✓	Dry food	✓

Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type C
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
N81/S	8032891630075	8032891635070
N81/M	8032891630082	8032891635087
N81/L	8032891630099	8032891635094
N81/XL	8032891630105	8032891635100

Packing



REFLEXX CARE LINE: WE CARE ABOUT YOUR HANDS

The gloves are used in many jobs for several hours a day and we are aware that they can cause troubles for the most sensitive subjects. We are firmly convinced that hands are one of the most important tools for any job and everyday life and that is why we have decided to develop the REFLEXX CARE line that responds innovatively and qualitatively to your hands NUTRITION and PROTECTION needs.

THE LOGO

This is the logo that distinguishes the gloves of the Care line, particularly recommended for skin care.



ACCELERATOR-FREE GLOVES

Do you often have your hands irritated, reddened, swollen though not using latex gloves? You have most likely developed a type IV (delayed hypersensitivity) allergy to chemical elements. The causes of these types of allergies in relation to the use of gloves, are due to chemical additives and probably to accelerating agents (eg thiurames, carbamates, benzothiazoles) used during the production process.

Low Derma™ is the patented technology involved in the production of hypoallergenic nitrile gloves. These particular gloves provide all-round protection to the worker.



Patented Technology

ALOE VERA GLOVES

Aloe vera is just one of the many aloe species, but undoubtedly, the most used both in cosmetics and health. It is a plant known since ancient times for its interesting properties.



Reflexx takes care of the environment

"The disposable glove is an essential device for safety and prevention, as well as an indicator of progress. **A consumption increase between 5% and 10% is estimated** for the next few years and nitrile gloves will drive this growth.


Gloves contaminated by biological and/or chemical agents are disposed of as special waste (incinerated) while in the absence of contamination they are disposed of as unsorted waste in waste-to-energy plants or landfills. **Specifically to reduce the huge volume of waste in landfills, a technology has been designed that accelerates its biodegradation** compared to common nitrile gloves, helping to actively reduce the volume of waste. A small contribution to the problem of global waste management, but still a step towards the future."

Gianni Isetti

CEO Reflexx S.p.A.

Accelerated biodegradation under test conditions according to ASTM D5511 that reproduce the anaerobic environment typical of biologically active landfills. Results vary depending on environmental conditions (landfills and weather conditions). Below are the tests carried out on two different NBio production batches.

Degradation curve
(Laboratory results according to Standard ASTM D5511)
Test results after **500 days**



Reflexx NBio

VS

Common nitrile glove

The innovative formula of Reflexx NBio, as demonstrated in two tests above, **accelerates biodegradation compared to common nitrile gloves** and reduces permanence in biologically active landfills.



REFLEXX NBio is the way!

Same Reflexx quality but better for the planet!

Accelerated biodegradation in test conditions (according to ASTM D511) that simulate the anaerobic environment typical of active landfills than a regular nitrile glove.

Disposable, ambidextrous and 100% latex free.

Not compostable.



 Weight: 3,5 gr  Powder Free

NITRILE

CODE/SIZE NBio XS NBio S NBio M NBio L NBio XL

FEATURES	
WEIGHT	3,5 gr +/- 0,2 (M)
PALM THICKNESS	0,07 mm +/- 0,02
LENGTH	24 cm
COLOUR	Light green
SURFACE	Micro-roughened



FOOD SUITABILITY 	
AQUEOUS	✓
ACID pH ≤4,5	✗
DAIRY	✗
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOOD	✓



Tested for 30' at 40°

CERTIFICATIONS










REGULATIONS ALLERGENS OTHER PACKING

Reg EU 2016/425
EN ISO 374-1, EN ISO 374-5
Reg EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | Reg EU 10/2011












REFLEX L600

Main use



LATEX GLOVES WITH ALOE VERA

HIGH THICKNESS

LOW PROTEIN: protein content below 50 µg/g, limiting the risk of allergies and increasing biocompatibility.

The heat and humidity of the hand reactivate the beneficial properties of Aloe Vera.

Internally chlorinated for easy donning. Micro-roughened surface to increase the grip.



ALOE VERA

Features


Weight	6,2 gr +/- 0,3 (M)
Palm thickness	0,12 mm +/- 0,03
Length	24 cm
Colour	Green
Surface	Micro-roughened

Allergens



Other

Inner chlorination; silicon not present in the gloves' composition.



Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type C
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
AQL	≤1,5



PPE | DPI
Cat. III



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
L600/XS	8032891632130	8032891637135
L600/S	8032891632147	8032891637142
L600/M	8032891632154	8032891637159
L600/L	8032891632161	8032891637166
L600/XL	8032891632178	8032891637173

Packing



REFLEXX N350

Main use



HYPOALLERGENIC NITRILE GLOVES

ACCELERATORS-FREE

Low Derma™ is the result of a special proven and reliable production technology that **eliminates most of the causes of type IV allergies: accelerating agents.**

Sulfur-free and accelerators-free - e.g. thiurames, carbamates, benzothiazoles.

Improved elasticity and sensitivity.

Powder free gloves reducing the risk of dermatitis and contamination.



HYPOALLERGENIC

Features

Weight	3,2 gr +/- 0,2 (M)
Palm thickness	0,06 mm +/- 0,02
Length	24 cm
Colour	Blue
Surface	Micro-roughened

Allergens



Other

Inner chlorination



Gloves suitable for use with chemotherapy drugs (tested ASTM D6978).




Patented Technology

Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KPT
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



**PPE | DPI
Cat. III**



Food Suitability


Tested for 30' at 40°

Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✗	Oily, fatty	✓
Dairy	✓	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
N350/XS	8032891633731	8032891638736
N350/S	8032891633748	8032891638743
N350/M	8032891633755	8032891638750
N350/L	8032891633762	8032891638767
N350/XL	8032891633779	8032891638774

Packing






WHY CHOOSE IT:

Chemical polyvalent resistance

Good physical resistance

Low migration to food

NITRILE



NITRILE GLOVES: COMPARISON TABLE			
PRODUCT	DURABILITY	SENSITIVITY	CHEMICAL RESISTANCE
REFLEXX 99			
REFLEXX N79 PLUS			
REFLEXX N65 PLUS			
REFLEXX N85 / N85 BLACK			
REFLEXX 67			
REFLEXX N69			
REFLEXX 68			
REFLEXX 70			
REFLEXX N73			
REFLEXX N71			
REFLEXX 78			
REFLEXX 76			
REFLEXX 77			
REFLEXX N82			
REFLEXX N80B			

REFLEX 99 NHR

Main use



HIGH RISK NITRILE GLOVES

X-LONG CUFF 29 CM

High Resistance gloves.

High thickness for superior physical resistance and **increased length** to secure the glove over the garments.

Micro-roughened surface to increase the grip and the sensitiveness.

Powder free gloves reducing the risk of dermatitis and contamination.



**EXTRA LONG
EXTRA STRONG**

Features

Weight	8,8 gr +/- 0,5 (M)
Palm thickness	0,15 mm +/- 0,03
Length	29 cm
Colour	Indigo
Surface	Micro-roughened

Allergens



Other

Inner chlorination



Gloves suitable for use with chemotherapy drugs (tested ASTM D6978).




Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KPT
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



**PPE | DPI
Cat. III**



Food Suitability Tested for 30' at 40°

Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✓	Oily, fatty	✓
Dairy	✓	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R99/S	8032891632031	8032891637036
R99/M	8032891632048	8032891637043
R99/L	8032891632055	8032891637050
R99/XL	8032891632062	8032891637067
R99/XXL	8032891632079	8032891637074

Packing



REFLEX N79 Plus

Main use



X-LONG NITRILE GLOVES

X-LONG CUFF 30 CM

Long cuff for better protection pulling the wrist over the garment.

The enhanced thickness guarantees a better physical resistance.

Micro-roughened surface to increase the grip and the sensitiveness.

Powder free gloves reducing the risk of dermatitis and contamination.



EXTRA LONG

Features

Weight	7,7 gr +/- 0,4 (M)
Palm thickness	0,14 mm +/- 0,03
Length	30 cm
Colour	Black
Surface	Micro-roughened

Allergens



Other

Inner chlorination; silicon not present in the gloves' composition.




Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KPTJ
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
AQL	≤1,5



PPE | DPI
Cat. III



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
N79P/S	8032891633540	8032891638545
N79P/M	8032891633557	8032891638552
N79P/L	8032891633564	8032891638569
N79P/XL	8032891633571	8032891638576

Packing



REFLEX N65 Plus

Main use



FULL GRIP NITRILE GLOVES

X-LONG CUFF 29 CM

High thickness for superior physical resistance and increased length to secure the glove over the garments.

3D grip on the whole palm and fingers for improved grip even with wet and slippery products.

Powder free gloves reducing the risk of food contamination and dermatitis.



**EXTRA LONG
FULL GRIP**

Features

Weight	9,2 gr +/- 0,2 (M)
Palm thickness	0,15 - 0,20 mm
Length	29 cm
Colour	Blue
Surface	3D FULL GRIP

Allergens



Other

Inner chlorination; silicon not present in the gloves' composition.




Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KPJ
EN ISO 374-5:2016	Microorganisms (bacteria/fungi)
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



PPE | DPI
Cat. III



Food Suitability

Tested for 30' at 40°



Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✗	Oily, fatty	✓
Dairy	✓	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
N65P/S	8032891630402	8032891635407
N65P/M	8032891630419	8032891635414
N65P/L	8032891630426	8032891635421
N65P/XL	8032891630433	8032891635438

Packing



REFLEX N85

Main use



FULL GRIP NITRILE GLOVES

3D grip on the whole palm and fingers for improved grip even with wet and slippery products.

The special orange colour helps the worker in low light conditions.

Heavy duty: high weight makes the glove particularly suitable for heavy duty usage.

Powder free gloves reducing the risk of dermatitis and contamination.



**FULL GRIP
HEAVY DUTY**

Features

Weight	8,4 gr +/- 0,4 (M)
Palm thickness	0,15 - 0,20 mm
Length	24 cm
Colour	Orange
Surface	3D FULL GRIP

Allergens



Other

Inner chlorination




Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KPTJ
EN ISO 374-5:2016	Microorganisms (bacteria/fungi)
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



**PPE | DPI
Cat. III**



Food Suitability

Tested for 30' at 40°



Aqueous	X	Alcoholic	X
Acid pH≤4.5	X	Oily, fatty	✓
Dairy	X	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
N85/M	8032891633793	8032891638798
N85/L	8032891633830	8032891638835
N85/XL	8032891633816	8032891638811
N85/XXL	8032891633854	8032891638859

Packing



REFLEX N85

Main use



FULL GRIP NITRILE GLOVES

3D grip on the whole palm and fingers for improved grip even with wet and slippery products.

Heavy duty: high weight makes the glove particularly suitable for heavy duty usage.

Powder free gloves reducing the risk of dermatitis and contamination.



**FULL GRIP
HEAVY DUTY**

Features

Weight	8,4 gr +/- 0,4 (M)
Palm thickness	0,15 - 0,20 mm
Length	24 cm
Colour	Black
Surface	3D FULL GRIP

Allergens



Other

Inner chlorination




Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KPTJ
EN ISO 374-5:2016	Microorganisms (bacteria/fungi)
AQL	≤1,5



**PPE | DPI
Cat. III**



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
N85B/M	8032891634059	8032891639054
N85B/L	8032891634066	8032891639061
N85B/XL	8032891634073	8032891639078
N85B/XXL	8032891634080	8032891639085

Packing



REFLEX 67

Main use



HIGH THICKNESS NITRILE GLOVES

The higher thickness guarantees a better physical resistance.

Good resistance to oils, fats and to a wide variety of chemicals.

The micro-rough finishing increases grip, sensitivity and the precision while using.

Powder free gloves reducing the risk of dermatitis and contamination.



STRONG

Features

Weight	5,5 gr +/- 0,3 (M)
Palm thickness	0,11 mm +/- 0,02
Length	24 cm
Colour	Black
Surface	Micro-roughened

Allergens



Other

Inner chlorination




Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KPTJ
EN ISO 374-5:2016	Microorganisms (bacteria/fungi)
AQL	≤1,5



PPE | DPI
Cat. III



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R67/M	8032891633045	8032891638040
R67/L	8032891633052	8032891638057
R67/XL	8032891633069	8032891638064
R67/XXL	8032891633076	8032891638071

Packing



REFLEX N69

Main use



EXTRA STRONG NITRILE GLOVES

The **high thickness** provides great chemical and physical resistance.

Micro-roughened surface to increase the grip and the sensitiveness.

Powder free gloves reducing the risk of dermatitis and contamination.



EXTRA STRONG

Features

Weight	7,0 gr +/- 0,4 (M)
Palm thickness	0,13 mm +/- 0,03
Length	24 cm
Colour	Light Blue
Surface	Micro-roughened

Allergens



Other

Inner chlorination; silicon not present in the gloves' composition.



Gloves suitable for use with chemotherapy drugs (tested ASTM D6978).



Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KPT
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



PPE | DPI
Cat. III



Food Suitability

Tested for 30' at 40°



Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✗	Oily, fatty	✓
Dairy	✓	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
N69/S	8032891634417	8032891639412
N69/M	8032891634424	8032891639429
N69/L	8032891634431	8032891639436
N69/XL	8032891634448	8032891639443
N69/XXL	8032891634455	8032891639450

Packing



REFLEXX 68

Main use



STRONG AND COMFY NITRILE GLOVES

The higher thickness guarantees a better physical resistance.

Particularly soft and comfortable

Micro-roughened surface to increase the grip and the sensitiveness.

Powder free gloves reducing the risk of dermatitis and contamination.



EXTRA STRONG

Features

Weight	6,0 gr +/- 0,3 (M)
Palm thickness	0,12 mm +/- 0,03
Length	24 cm
Colour	Green
Surface	Micro-roughened

Allergens



Other

Inner chlorination; silicon not present in the gloves' composition.




Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KPT
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



**PPE | DPI
Cat. III**



Food Suitability Tested for 30' at 40°

Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✗	Oily, fatty	✓
Dairy	✗	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R68/S	8032891632444	8032891637449
R68/M	8032891632451	8032891637456
R68/L	8032891632468	8032891637463
R68/XL	8032891632475	8032891637470

Packing



REFLEX 70

Main use



TOP QUALITY NITRILE GLOVES

BEST SELLER

Disposable, ambidextrous, powder free and 100% latex free.

Product with a wide variety of uses.

Micro-roughened surface to increase the grip and the sensitiveness.

Powder free gloves reducing the risk of dermatitis and contamination.



TOP QUALITY
NITRILE

Features

Weight	4,9 gr +/- 0,3 (M)
Palm thickness	0,10 mm +/- 0,02
Length	24 cm
Colour	Light Blue
Surface	Micro-roughened

Allergens



Other

Inner chlorination



Gloves suitable for use with chemotherapy drugs (tested ASTM D6978).




Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KPT
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



PPE | DPI
Cat. III



Food Suitability

Tested for 30' at 40°

*use ≤10'




Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✓*	Oily, fatty	✓
Dairy	✓	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R70/S	8032891631485	8032891636480
R70/M	8032891631492	8032891636497
R70/L	8032891631508	8032891636503
R70/XL	8032891631515	8032891636510
R70/XXL	8032891633519	8032891638514

Packing



REFLEX N73

Main use



POWDER FREE NITRILE GLOVES

Disposable, ambidextrous, powder free and 100% latex free.

4.5 g weight: ideal solution providing sensitivity and resistance.

Powder free gloves reducing the risk of dermatitis and contamination.



RESISTANT

Features

Weight	4,5 gr +/- 0,02 (M)
Palm thickness	0,09 mm +/- 0,02
Length	24 cm
Colour	Light Blue
Surface	Micro-roughened

Allergens



Other

Inner chlorination.




Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KPT
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



PPE | DPI
Cat. III



Food Suitability Tested for 30' at 40°

Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✗	Oily, fatty	✓
Dairy	✗	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
N73/S	8032891630648	8032891635643
N73/M	8032891630655	8032891635650
N73/L	8032891630662	8032891635667
N73/XL	8032891630679	8032891635674

Packing



REFLEX N71

Main use



HYPOALLERGENIC NITRILE GLOVES

Low Derma™ is the result of a special proven and reliable production technology that **eliminates most of the causes of type IV allergies**: accelerating agents.

Sulfur-free and accelerators-free - e.g. thiurames, carbamates, benzothiazoles.

Micro-roughened surface to increase the grip and the sensitiveness.

Powder free gloves reducing the risk of dermatitis and contamination.



HYPOALLERGENIC

Features

Weight	4,2 gr +/- 0,2 (M)
Palm thickness	0,09 mm +/- 0,02
Length	24 cm
Colour	Blue
Surface	Micro-roughened

Allergens



Other

Inner chlorination




Patented Technology

Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KPT
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



PPE | DPI
Cat. III



Food Suitability

Tested for 30' at 40°

*use ≤10'



Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✓*	Oily, fatty	✓
Dairy	✓	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
N71/S	8032891634479	8032891639474
N71/M	8032891634486	8032891639481
N71/L	8032891634493	8032891639498
N71/XL	8032891634509	8032891639504

Packing



REFLEX 78

Main use



BLACK NITRILE GLOVES

SUITABLE FOR SEVERAL USES

Black colour. Disposable, ambidextrous, powder free and 100% latex free.

Powder free gloves reducing the risk of dermatitis and contamination.

Suitable for the contact with most types of food.



BLACK

Features

Weight	4,0 gr +/- 0,2 (M)
Palm thickness	0,08 mm +/- 0,02
Length	24 cm
Colour	Black
Surface	Micro-roughened

Allergens



Other

Inner chlorination



Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type C
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



PPE | DPI
Cat. III



Food Suitability

Tested for 30' at 40°

*use ≤10'



Aqueous	✓	Alcoholic	✓*
Acid pH≤4.5	✗	Oily, fatty	✓
Dairy	✓*	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R78/XS	8032891633595	8032891638590
R78/S	8032891631928	8032891636923
R78/M	8032891631935	8032891636930
R78/L	8032891631942	8032891636947
R78/XL	8032891631959	8032891636954

Packing



REFLEX 76

Main use



SOFT AND ELASTIC NITRILE GLOVES

Disposable, ambidextrous, powder free and 100% latex free.

Suitable for several uses.

Micro-roughened surface to increase the grip and the sensitiveness.

Powder free gloves reducing the risk of dermatitis and contamination.



SOFT

Features

Weight	3,5 gr +/- 0,2 (M)
Palm thickness	0,07 mm +/- 0,02
Length	24 cm
Colour	Light Blue
Surface	Micro-roughened

Allergens



Other

Inner chlorination



Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type C
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



PPE | DPI
Cat. III



Food Suitability

Tested for 30' at 40°



Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✗	Oily, fatty	✓
Dairy	✗	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R76/XS	8032891631874	8032891636879
R76/S	8032891631881	8032891636886
R76/M	8032891631898	8032891636893
R76/L	8032891631904	8032891636909
R76/XL	8032891631911	8032891636916

Packing



REFLEX 77

Main use



ULTRA THIN NITRILE GLOVES

LIKE A SECOND SKIN

Carefully selected raw materials and technologically advanced production plants ensuring physical resistance even with extremely low thickness.

3,0 g weight to ensure maximum sensitivity.

Powder free gloves reducing the risk of dermatitis and contamination.



ULTRA THIN
TOP QUALITY

Features

Weight	3,0 gr +/- 0,2 (M)
Palm thickness	0,06 mm +/- 0,02
Length	24 cm
Colour	Light Blue
Surface	Micro-roughened

Allergens



Other

Inner chlorination



Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type C
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



PPE | DPI
Cat. III



Food Suitability Tested for 30' at 40°

Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✓	Oily, fatty	✓
Dairy	✓	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R77100/XS	8032891633465	8032891638460
R77100/S	8032891633472	8032891638477
R77100/M	8032891633489	8032891638484
R77100/L	8032891633496	8032891638491
R77100/XL	8032891633502	8032891638507

Packing



REFLEX N82

Main use



ULTRA THIN NITRILE GLOVES

PINK

Thin glove to guarantee high sensitivity.

Ideal for many sectors: dental, cosmetics, piercing and nails.

The micro-rough surface on the fingertips allows maximum precision in work.

Powder free gloves reducing the risk of dermatitis and contamination.



**PINK
SENSITIVE**

Features

Weight	3,2 gr +/- 0,2 (M)
Palm thickness	0,06 mm +/- 0,02
Length	24 cm
Colour	Pink
Surface	Micro-roughened

Allergens



Other

Inner chlorination



Certifications

PPE Cat. I	Reg EU 2016/425
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
AQL	≤1,5



PPE | DPI
Cat. I



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
N82/XS	8032891630341	8032891635346
N82/S	8032891630358	8032891635353
N82/M	8032891630365	8032891635360
N82/L	8032891630372	8032891635377

Packing



REFLEX N80B

Main use



ULTRA THIN NITRILE GLOVES

VERSATILE

Disposable, ambidextrous, powder free and 100% latex free.

This glove is suitable for several industries.

Powder free gloves reducing the risk of dermatitis and contamination.

Available in 100 and 200 pieces box.



ULTRA THIN

Features

Weight	3,2 gr +/- 0,2 (M)
Palm thickness	0,06 mm +/- 0,02
Length	24 cm
Colour	Light Blue
Surface	Micro-roughened

Allergens



Other

Inner chlorination



Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type C
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



Packing



Food Suitability

Tested for 30' at 40°

Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✗	Oily, fatty	✓
Dairy	✗	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX	CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
N80B/XS	8032891630181	8032891635186	N80B200/S	8032891630143	8032891635148
N80B/S	8032891631065	8032891636060	N80B200/M	8032891630150	8032891635155
N80B/M	8032891631072	8032891636077	N80B200/L	8032891630167	8032891635162
N80B/L	8032891631089	8032891636084	N80B200/XL	8032891630174	8032891635179
N80B/XL	8032891631096	8032891636091			

WHY CHOOSE IT:

Great elasticity even at low temperatures

Waterproof

Made out of natural latex



LATEX

WHY AVOID IT:

Possible sensitizations in predisposed subjects

Unpredictable raw material costs



REFLEXX 98 HR

Main use



POWDER FREE HIGH RISK LATEX GLOVES

X-LONG CUFF 30 CM

Very high resistance thanks to 18.5 g weight – High Risk

LOW PROTEIN: protein content below 50 µg/g.

Internally chlorinated for easy donning and to reduce the risk of allergies and dermatitis.

EN ISO 374-1:2016 TYPE A
(certified with 6 chemicals).



**EXTRA LONG
EXTRA STRONG**

Features

Weight	18,5 gr +/- 1,0 (M)
Palm thickness	0,33 mm +/- 0,06
Length	30 cm
Colour	Blue
Surface	Micro-roughened

Allergens



Other

Inner chlorination



Gloves suitable for use with chemotherapy drugs (tested ASTM D6978).




Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type A / KPLMTJ
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



**PPE | DPI
Cat. III**



Food Suitability Tested for 30' at 40°

Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✗	Oily, fatty	✗
Dairy	✓	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R98/S	8032891631836	8032891636831
R98/M	8032891631843	8032891636848
R98/L	8032891631850	8032891636855
R98/XL	8032891631867	8032891636862
R98/XXL	8032891632680	8032891637685

Packing



REFLEXX 44

Main use



BLACK LATEX GLOVES

EXTRA RESISTANT

LOW PROTEIN: protein content below 50 µg/ limiting the risk of allergies and increasing biocompatibility.

Higher thickness for better strength.

Externally chlorinated to increase resistance and grip in greasy conditions.

Internally chlorinated for easy donning and to reduce the risk of allergies and dermatitis.

Powder free gloves reducing the risk of dermatitis and contamination.


EXTRA RESISTANT

Features


Weight	6,2 gr +/- 0,3 (M)
Palm thickness	0,12 mm +/- 0,03
Length	24 cm
Colour	Black
Surface	Micro-roughened

Allergens



Other

Inner/outer chlorination; silicon not present in the gloves' composition.



Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type C
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
AQL	≤1,5


PPE | DPI
Cat. III


Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R44/S	8032891632192	8032891637197
R44/M	8032891632208	8032891637203
R44/L	8032891632215	8032891637210
R44/XL	8032891632222	8032891637227

Packing



REFLEXX L45

Main use



BLACK LATEX GLOVES

ANTI-SLIP: the absence of external chlorination makes it less slippery and suitable for extremely precise work.

LOW PROTEIN: protein content below 50 µg/g, limiting the risk of allergies and increasing biocompatibility.

Higher thickness for better strength.

Internally chlorinated for easy donning and to reduce the risk of allergies and dermatitis.

Powder free gloves reducing the risk of dermatitis and contamination.



**ANTI-SLIP
TATTOO**

Features


Weight	6,2 gr +/- 0,3 (M)
Palm thickness	0,12 mm +/- 0,03
Length	24 cm
Colour	Black
Surface	Micro-roughened

Allergens



Other

Inner chlorination; silicon not present in the gloves' composition.



Certifications

PPE Cat. I	Reg EU 2016/425
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
AQL	≤1,5



PPE | DPI
Cat. I



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
L45/S	8032891630587	8032891635582
L45/M	8032891630594	8032891635599
L45/L	8032891630600	8032891635605
L45/XL	8032891630617	8032891635612

Packing



REFLEX 46

Main use



POWDER FREE LATEX GLOVES

TOP QUALITY

High quality raw material providing great elasticity, sensitivity and impermeability.

LOW PROTEIN: protein content below 50 µg/g.

Powder free gloves reducing the risk of dermatitis and contamination.



**TOP QUALITY
NATURAL LATEX**

Features


Weight	5,7 gr +/- 0,3 (M)
Palm thickness	0,10 mm +/- 0,02
Length	24 cm
Colour	Amber
Surface	Micro-roughened

Allergens



Other

Inner chlorination; silicon not present in the gloves' composition.



Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type C
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



**PPE | DPI
Cat. III**

EN ISO 374-1:2016
Type C



EN ISO 374-5:2016



Food Suitability Tested for 30' at 40°



Aqueous	✓	Alcoholic	✗
Acid pH≤4.5	✗	Oily, fatty	✗
Dairy	✗	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R46/XS	8032891631614	8032891636619
R46/S	8032891631621	8032891636626
R46/M	8032891631638	8032891636633
R46/L	8032891631645	8032891636640
R46/XL	8032891631652	8032891636657

Packing



REFLEXX 40

Main use



POWDERED LATEX GLOVES

NATURAL LATEX

Lightly pre-powdered with cornstarch.

Comfortable, elastic with good sensitivity.



NATURAL LATEX

Features

Weight	5,0 gr +/- 0,3 (M)
Palm thickness	0,07 mm +/- 0,02
Length	24 cm
Colour	White
Surface	Smooth

Allergens



Other

Powdered; silicon not present in the gloves' composition.




Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type C
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



PPE | DPI
Cat. III



Food Suitability Tested for 30' at 40°

Aqueous	✓	Alcoholic	X
Acid pH≤4.5	X	Oily, fatty	X
Dairy	X	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R40/XS	8032891631324	8032891636329
R40/S	8032891631331	8032891636336
R40/M	8032891631348	8032891636343
R40/L	8032891631355	8032891636350
R40/XL	8032891631362	8032891636367

Packing





WHY CHOOSE IT:

Doesn't contain accelerators

Good biocompatibility

Good value for money

VINYL



WHY AVOID IT:

Poor elasticity and molecular cohesion

Poor mechanical resistance

REFLEXX 36

Main use



POWDER FREE VINYL GLOVES

Manufactured with low toxicity phthalates.

Disposable, ambidextrous, powder free and 100% latex free.

Powder free gloves reducing the risk of dermatitis and contamination.



Features

Weight	4,2 gr +/- 0,3 (M)
Palm thickness	0,07 mm +/- 0,02
Length	24 cm
Colour	Transparent
Surface	Smooth

Allergens



Other

Silicon not present in the gloves' composition.



Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type C
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
Medical Device	Reg EU 2017/745 EN 455 1,2,3,4
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



PPE | DPI
Cat. III



Food Suitability Tested for 30' at 40°

Aqueous	✓	Alcoholic	✗
Acid pH≤4.5	✓	Oily, fatty	✗
Dairy	✗	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R36/S	8032891631430	8032891636435
R36/M	8032891631447	8032891636442
R36/L	8032891631454	8032891636459
R36/XL	8032891631461	8032891636466

Packing





WHY CHOOSE IT:

Cheap

Suitable for food contact

Easy donning

POLYETHYLENE



WHY AVOID IT:

Poor resistance especially in the sealing

REFLEX 18

Main use



HIGH DENSITY POLYETHYLENE GLOVES (HDPE)

Disposable, ambidextrous, powder free and 100% latex free.

Slightly embossed surface.
Recommended for any use where a low-cost, easy-to-don disposable glove is required.

One-size-fits-all.



HIGH DENSITY PE

Features

Weight	0,7 gr +/- 0,1 (M)
Palm thickness	0,01 mm +/- 0,003
Length	28 cm
Colour	Transparent
Surface	Micro-roughened

Allergens



Other

Powder free; silicon not present in the gloves' composition.



Certifications

PPE Cat. I	Reg EU 2016/425
Food Contact	Reg EU 10/2011



PPE | DPI
Cat. I



Food Suitability

Tested for 2h at 40°



Acquosi	✓	Alcoholic	✓
Acidi pH≤4,5	✓	Oily, fatty	✓
Lattiero Caseari	✓	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R18	8032891631607	8032891636602

Packing





WHY CHOOSE IT:

They allow the hand to breathe

They offer durability and high protection

Fitting and maximum flexibility


SUPPORTED



Supported gloves are protective gloves made of a coated fabric. They are made by dipping a knitted glove into a liquid compound such as nitrile or polyurethane. The knitted part “supports” the coating.

EN 388:2016+A1:2018

EN 388:2016 +A1:2018



abcdef

	PERFORMANCE LEVEL RATINGS
a - Abrasion resistance (cycles)	1-4
b - Blade cut resistance (Coupe Test / Index)	1-5
c - Tear resistance (newton)	1-4
d - Puncture resistance (newton)	1-4
e - EN ISO Cut resistance (newton)	A-F
f - EN Impact protection	(P) Passed - (F) Failed

Level X can also be applied for “a” through “f” above, which means “not tested” or “not applicable”

SIZES	COLOR ON THE CUFF
6/XS	Pink
7/S	Green
8/M	Blue
9/L	Yellow
10/XL	Red
11/XXL	Black



Aerated back

Legenda



Bodywork



General manufacturing



Hobby



Glass industry



Logistics



Carpentry



Painting



Construction



Electronics



REFLEXX PU22



POLYURETHANE GLOVES

ANTI-CUT

Level C.

The **HPPE knit** provides cut-resistance, while the elastane and polyamide make the glove elastic and comfortable.

Polyurethane coated palm, which provides the utmost breathability.

Ideal for use in dry working environments.

EN 388:2016+A1:2018 - 4X42C



CUT PROTECTION

Features

Length	23-27 cm
Liner Material	HPPE Elastan Polyamide
Thickness	13 Gauge
Colour	Black / Melange
Coating	Polyurethane

Allergens



Other

Seamless; silicon not present in the gloves' composition.



Coating



Anti-cut



Environment of use




Certifications

PPE Cat. II	Reg EU 2016/425
EN 388:2016+A1:2018	4X42C



PPE | DPI
Cat. II



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
PU22/XS	8032891631003	8032891636008
PU22/S	8032891631010	8032891636015
PU22/M	8032891631027	8032891636022
PU22/L	8032891631034	8032891636039
PU22/XL	8032891631041	8032891636046
PU22/XXL	8032891631058	8032891636053

Packing



* 5 masterbag of 10 packs each



REFLEX N16 MS

NITRILE MICROSANDY GLOVES

Polyamide/spandex glove.

The presence of Spandex increases the elasticity of the glove, also limiting the penetration of liquids.

Nitrile Microsandy coated palm which provides an excellent grip and increased oil and water repellence.

Ideal for use in damp working environments or in the presence of oil and grease.

Dimethylformamide (DMF) free.

EN 388:2016+A1:2018 - 4121X



NITRILE

Features

Length	23-27 cm
Liner Material	Polyamide / Spandex
Thickness	15 Gauge
Colour	Black
Coating	Nitrile Microsandy

Allergens



Other

Seamless; silicon not present in the gloves' composition.



Coating



Environment of use




Certifications

PPE Cat. II	Reg EU 2016/425
EN 388:2016+A1:2018	4121X



PPE | DPI
Cat. II



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
N16/XS	8032891634639	8032891639634
N16/S	8032891634646	8032891639641
N16/M	8032891634653	8032891639658
N16/L	8032891634660	8032891639665
N16/XL	8032891634677	8032891639672
N16/XXL	8032891634684	8032891639689

Packing



* 10 masterbag of 10 packs each



REFLEXX PU18

POLYURETHANE GLOVES

High quality polyamide glove.

Polyurethane coated palm which provides maximal breathability.

Ideal for use in dry working environments.

Available in two colour variants: grey or black.

EN 388:2016+A1:2018 - 4131X



PU18B

PU18G



POLYURETHANE

Features

Length	23-27 cm
Liner Material	Polyamide
Thickness	13 Gauge
Colour	Grey or black
Coating	Polyurethane

Allergens



Other

Seamless; silicon not present in the gloves' composition.



Coating



Environment of use




Certifications

PPE Cat. II	Reg EU 2016/425
EN 388:2016+A1:2018	4131X



PPE | DPI
Cat. II



Packing



* 10 masterbag of 10 packs each

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX	CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
PU18G/S	8032891634769	8032891639764	PU18B/S	8032891634820	8032891639825
PU18G/M	8032891634776	8032891639771	PU18B/M	8032891634837	8032891639832
PU18G/L	8032891634783	8032891639788	PU18B/L	8032891634844	8032891639849
PU18G/XL	8032891634790	8032891639795	PU18B/XL	8032891634851	8032891639856
PU18G/XXL	8032891634806	8032891639801	PU18B/XXL	8032891634868	8032891639863



REFLEX N121

NITRILE GLOVES

Seamless knitted white synthetic gloves,
grey nitrile palm coated.

Elastic wrist, open back.

Not suitable for dipping.

EN 388:2016+A1:2018 - 4121X



NITRILE

Features

Length	23-27 cm
Liner Material	Synthetic
Thickness	13 Gauge
Colour	White / grey
Coating	Nitrile

Allergens



Other

Seamless

Coating



Environment of use



Certifications

PPE Cat. II	Reg EU 2016/425
EN 388:2016+A1:2018	4121X




PPE | DPI
Cat. II



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
N121/S	8032891630464	8032891635469
N121/M	8032891630471	8032891635476
N121/L	8032891630488	8032891635483
N121/XL	8032891630495	8032891635490
N121/XXL	8032891630501	8032891635506

Packing



*10 masterbag of 10 packs each

REFLEXX PU131



POLYURETHANE GLOVES

Seamless knitted black synthetic gloves,
black polyurethane palm coated.

Elastic wrist, open back.

Not suitable for dipping.

EN 388:2016+A1:2018 - 3131X



POLYURETHANE

Features

Length	23-27 cm
Liner Material	Synthetic
Thickness	13 Gauge
Colour	Black / Black
Coating	Polyurethane

Allergens



Other

Seamless



Coating



Environment of use



Certifications

PPE Cat. II	Reg EU 2016/425
EN 388:2016+A1:2018	3131X



PPE | DPI
Cat. II



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
PU131/S	8032891630525	8032891635520
PU131/M	8032891630532	8032891635537
PU131/L	8032891630549	8032891635544
PU131/XL	8032891630556	8032891635551
PU131/XXL	8032891630563	8032891635568

Packing



* 10 masterbag of 10 packs each



REUSABLE



REFLEXX 101 HD

Main use



NEOPRENE AND LATEX GLOVES

LIGHT INNER FLOCK-LINING

Externally chlorinated.

Anti-slip pattern.

Good chemical and mechanical resistance.

EN ISO 374-1:2016 TYPE A
(certified with 6 chemicals).

Sold in pairs.



**NEOPRENE +
LATEX**

Features

Pair weight	105,0 gr +/- 5,0 (M)
Palm thickness	0,68 mm +/- 0,05
Length	32 cm
Colour	Black
Surface	Anti-slip pattern

Allergens



Other

Lightly flock-lined



Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type A / JKLNTP
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
EN 388:2016+A1:2018	2121X
AQL	≤1,5



**PPE | DPI
Cat. III**



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R101/M	8032891632598	8032891637777
R101/L	8032891632604	8032891637784
R101/XL	8032891632611	8032891637791
R101/XXL	8032891632628	8032891637807

Packing



* 5 masterbag of 10 packs each

REFLEXX 97 HD

Main use



NITRILE GLOVES

LIGHT INNER FLOCK-LINING

Lightly flock-lined. Externally chlorinated.
Anti-slip pattern.
Sold in pairs.

Excellent chemical (polyvalent) and mechanical (abrasion) resistance.

The stable formulation allows the contact with any type of food (for 30' at 40° C).

EN ISO 374-1:2016 TYPE A
(certified with 6 chemicals).



HEAVY NITRILE

Features

Pair weight	63,0 gr +/- 5,0 (M)
Palm thickness	0,40 mm +/- 0,05
Length	33 cm
Colour	Green
Surface	Anti-slip pattern

Allergens



Other

Lightly flock-lined; silicon not present in the gloves' composition.



Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type A / JKLOPT
EN ISO 374-5:2016	Microorganisms (bacteria/fungi), VIRUS
EN 388:2016+A1:2018	4101X
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



PPE | DPI
Cat. III



Food Suitability Tested for 30' at 40°

Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✓	Oily, fatty	✓
Dairy	✓	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R97/M	8032891632499	8032891637494
R97/L	8032891632505	8032891637500
R97/XL	8032891632512	8032891637517
R97/XXL	8032891632529	8032891637524

Packing



* 5 masterbag of 10 packs each

REFLEX 95

Main use



UNLINED NITRILE GLOVES

33CM REUSABLE GLOVES

Ideal for the food industry for the handling of sharp-surfaced foods such as fish, crustaceans, bones, etc.

Good to be used as reusable latex-free gloves.

Do not contain MBT (mercaptobenzothiazole, accelerator used in production) which is subject to restrictions according to FCM regulations.

Sold in pairs.



100% FOOD

Features

Pair weight	44,0 gr +/- 5,0 (M)
Palm thickness	0,22 mm +/- 0,03
Length	33 cm
Colour	Blue
Surface	Anti-slip pattern

Allergens



Other

Unlined; silicon not present in the gloves' composition.



Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KOPT
EN ISO 374-5:2016	Microorganisms (bacteria/fungi)
EN 388:2016+A1:2018	2101X
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



**PPE | DPI
Cat. III**



Food Suitability Tested for 30' at 40°

Aqueous	✓	Alcoholic	✓
Acid pH≤4.5	✓	Oily, fatty	✓
Dairy	✓	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R95/S	8032891632543	8032891637548
R95/M	8032891632550	8032891637555
R95/L	8032891632567	8032891637562
R95/XL	8032891632574	8032891637579

Packing



* 5 masterbag of 10 packs each

REFLEXX 94

Main use



LATEX GLOVES

BICOLOUR FLOCK-LINED

Double yellow/blue latex layers for higher resistance on palm and fingers.

Externally chlorinated for better performance and hygiene.

Anti-slip pattern.
Cotton flock-lining inside.

Sold in pairs.



BICOLOUR

Features

Pair weight	80,0 gr +/- 5,0 (M)
Palm thickness	0,50 mm +/- 0,05
Length	33 cm
Colour	Yellow / Blue
Surface	Anti-slip pattern

Allergens



Other

Cotton flock-lined; silicon not present in the gloves' composition.



Certifications

PPE Cat. III	Reg EU 2016/425
EN ISO 374-1:2016	Type B / KPTM
EN ISO 374-5:2016	Microorganisms (bacteria/fungi)
EN 388:2016+A1:2018	0120X
Food Contact	DM 21/03/1973 Reg EU 10/2011
AQL	≤1,5



PPE | DPI
Cat. III



Food Suitability

Tested for 30' at 40°

Aqueous	✓	Alcoholic	✗
Acid pH≤4.5	✗	Oily, fatty	✗
Dairy	✗	Dry food	✓

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R94/S	8032891632741	8032891637746
R94/M	8032891632758	8032891637753
R94/L	8032891632765	8032891637760
R94/XL	8032891632772	8032891637722

Packing



* 5 masterbag of 10 packs each

REFLEXX 90

Main use



FLOCK-LINED LATEX GLOVES

Sold in pairs, beaded cuff.
Anti-slip pattern.
Cotton flock-lining inside.

Features

Pair weight	50,0 gr +/- 3,0 (M)
Palm thickness	0,32 mm +/- 0,04
Length	30 cm
Colour	Yellow
Surface	Anti-slip pattern
Other	Cotton flock-lined



Allergens



Packing




* 12 masterbag of 10 packs each

Certifications

PPE Cat. I  Reg EU 2016/425

Chemical Features

 Silicon not present in the gloves' composition.



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R90/S	8032891631522	8032891636527
R90/M	8032891631539	8032891636534
R90/L	8032891631546	8032891636541
R90/XL	8032891631553	8032891636558



REFLEXX 92

Main use



UNLINED LATEX GLOVES

Sold in pairs, beaded cuff.
Anti-slip pattern.
Internally chlorinated for easy donning and to reduce the risk of latex protein allergies.

Features

Pair weight	50,0 gr +/- 3,0 (M)
Palm thickness	0,30 mm +/- 0,04
Length	30 cm
Colour	Amber
Surface	Anti-slip pattern
Other	Unlined



Allergens



Packing




* 12 masterbag of 10 packs each

Certifications

PPE Cat. I  Reg EU 2016/425

Chemical Features

 Silicon not present in the gloves' composition.



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
R92/S	8032891631560	8032891636565
R92/M	8032891631577	8032891636572
R92/L	8032891631584	8032891636589
R92/XL	8032891631591	8032891636596





FEATHER



FEATHER COTTON

Main use



FLOCK-LINED LATEX GLOVES

Household gloves, suitable for cleaning.

100% natural latex.

Anti-slip pattern.
Cotton flock-lining inside.

Sold in pairs, beaded cuff.



Features

Pair weight	40,0 gr +/- 3,0 (M)	Colour	Yellow
Palm thickness	0,28 mm +/- 0,03	Surface	Anti-slip pattern
Length	30 cm	Other	Cotton flock-lined

Certifications

PPE Cat. I Reg EU 2016/425

 PPE | DPI Cat. I

Allergens



Chemical Features



Silicon not present in the gloves' composition.



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
FC/S	8032891630112	8032891635117
FC/M	8032891630129	8032891635124
FC/L	8032891630136	8032891635131

Packing



* 12 masterbag of 10 packs each



FEATHER PLUS

Main use



POWDERED LATEX GLOVES

Disposable, ambidextrous.

Features

Weight	4,8 gr +/- 0,3 (M)
Palm thickness	0,07 mm +/- 0,03
Length	24 cm
Colour	White
Surface	Smooth
Other	Powdered

Food Suitability Tested for 30' at 40°

Aqueous	✓
Acid pH≤4.5	✗
Dairy	✗
Alcoholic	✗
Oily, fatty	✗
Dry food	✓



Packing



Allergens



Certifications

PPE Cat. I	Reg EU 2016/425
Food Contact	DM 21/03/1973 Reg EU 10/2011



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
FP/S	8032891634257	8032891639252
FP/M	8032891634264	8032891639269
FP/L	8032891634271	8032891639276
FP/XL	8032891634288	8032891639283



FEATHER LATEXX PF

Main use



POWDER FREE LATEX GLOVES

Protein content below 50 µg/g to reduce the risk of allergies and increasing biocompatibility.

Features

Weight	5,0 gr +/- 0,3 (M)
Palm thickness	0,07 mm +/- 0,02
Length	24 cm
Colour	White
Surface	Micro-roughened
Other	Inner chlorination

Food Suitability Tested for 30' at 40°

Aqueous	✓
Acid pH≤4.5	✗
Dairy	✗
Alcoholic	✗
Oily, fatty	✗
Dry food	✓



Packing



Allergens



Certifications

PPE Cat. I	Reg EU 2016/425
Food Contact	DM 21/03/1973 Reg EU 10/2011



Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
FPF/S	8032891631201	8032891636206
FPF/M	8032891631218	8032891636213
FPF/L	8032891631225	8032891636220
FPF/XL	8032891631232	8032891636237



FEATHER NITREXX

Main use



POWDER FREE NITRILE GLOVES

Disposable, ambidextrous.

Features

Weight	2,8 gr +/- 0,2 (M)
Palm thickness	0,06 mm +/- 0,02
Length	24 cm
Colour	Light Blue
Surface	Micro-roughened
Other	Powder free

Food Suitability

Tested for 30' at 40°

Aqueous	✓
Acid pH≤4.5	✗
Dairy	✗
Alcoholic	✗
Oily, fatty	✓
Dry food	✓



Packing



Certifications

PPE Cat. I	Reg EU 2016/425
Food Contact	DM 21/03/1973 Reg EU 10/2011

CE PPE | DPI Cat. I

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
FNX/S	8032891634363	8032891639368
FNX/M	8032891634370	8032891639375
FNX/L	8032891634387	8032891639382
FNX/XL	8032891634394	8032891639399



Allergens



Chemical Features

CHROME FREE Silicon not present in the gloves' composition.

FEATHER FLEXX PF

Main use



POWDER FREE VINYL GLOVES

Disposable, ambidextrous.

Features

Weight	3,8 gr +/- 0,2 (M)
Palm thickness	0,06 mm +/- 0,02
Length	24 cm
Colour	Transparent
Surface	Smooth
Other	Powder free

Food Suitability

Tested for 30' at 40°

Aqueous	✓
Acid pH≤4.5	✓
Dairy	✗
Alcoholic	✗
Oily, fatty	✗
Dry food	✓



Packing



Certifications

PPE Cat. I	Reg EU 2016/425
Food Contact	DM 21/03/1973 Reg EU 10/2011

CE PPE | DPI Cat. I

Product Codes

CODE/SIZE	EAN DISPENSER	EAN CARTON BOX
FVPF/S	8032891634189	8032891639184
FVPF/M	8032891634196	8032891639191
FVPF/L	8032891634202	8032891639207
FVPF/XL	8032891634219	8032891639214



Allergens



Chemical Features

PHT DINP DOTP

Website

The constantly updated **www.reflexx.com** site is the collection point for all information about the company and its products.

REFLEXX.COM



Which info will you find?

Each product page presents all the key information for the user: from glove features to regulations for which it is suitable and the test results passed.

In each page, for each product, you have easy access to:

- product features
- download all tech sheets
- recommendations for use
- information on allergens
- measurements, weights and EAN codes of each size of dispenser and carton
- instructions for the correct disposal of the packaging and the glove
- product videos

Extremely useful is the possibility to **compare products** adding them to the comparison list.



Promotional material

Floor display with shelves

4 shelves suitable for displaying the different Reflexx dispensers



Dimensions (cm):

58 x 38 x 168
Code 1004

Floor display with hooks

9 hooks for hanging work gloves from the Reflexx Pro line



Dimensions (cm):

59.6 x 39.2 x 181
Code 1003

In-store marketing materials: Food Line

Two-side panel
Two-sided shelf flag
Shelf wobblers
Floor sticker



Sample packs

Sample bags containing 4 sample gloves. Available for all models and sizes of disposable gloves.




Packaging

All Reflexx packs are designed to facilitate the identification of the item and sizes and to provide all the information required by law.



Social Media

For a continuous update on the latest news of Reflexx products or sector information follow us on social networks, scan the QR codes below!





Reflexx S.p.A.

Via Passeri, 2 46019 - Viadana (MN) - ITALY
contatti@reflexx.com

www.reflexx.com