


INFORMATIVE NOTE
Name: REFLEXX N65PLUS
Date: 10/09/2023 Rev: 01
MANUFACTURER

 REFLEXX SpA
 Via Passeri, 2 46019 VIADANA (MN)
 Tel.: + 39 0375 758891 Fax + 39 0375 464504
info@reflexx.com
www.reflexx.com

Pack

Cod./Size	Box	Carton
N65P/S	8032891630402	8032891635407
N65P/M	8032891630419	8032891635414
N65P/L	8032891630426	8032891635421
N65P XL	8032891630433	8032891635438

DESCRIPTION: ■ disposable glove powder free, not sterile ■ **Material:** nitrile ■ **Shape:** ambidextrous; five fingers, beaded and long cuff ■ **Colour:** blue ■ **Feature:** internally chlorinated; externally diamond grip pattern ■ **Packing:** 50 pieces/box; 10 boxes/carton ■ **ISO 2859:** AQL 1.5 (level G1)

CONFORMITY AND PERFORMANCES

Personal Protective Equipment cat III

 0465 ANCI_CIMAC, Via Aguzzafame, 60/b 27029 Vigevano (PV)
 Reg EU 2016/425 - EN ISO 374-1:2016 TYPE C - EN ISO 374-5:2016 - EN 374-2:2014 - EN 420:2003 + A1 2009 – EN 21420:2020


Reg CE 1935/2004 – Reg EU 10/2011 - DM 21/03/73. To such use carefully read the declaration of suitability for food contact (DICA).

DIMENSIONS


Cod./Size	Length (mm) min.	Width. (±4 mm)
N65P/S (7)	290	86
N65P/M (8)	290	96
N65P/L (9)	290	107
N65P/XL (10)	290	115

Thickness (mm)	Palm	0.15-0.20
----------------	------	-----------

EN 455-2:2009/A1	Tensile strength	≥6 N
------------------	------------------	------

EN ISO 374-1:2016

Chemical compound:	EN 16523-1:2015 TYPE B		EN 374-4:2013	
	COD	Performance level	Breakthrough time	% degradation
Sodium hydroxide 40%	K	6	>480	3,6%
Hydrogen peroxide 30%	P	3	>60	37,8%
n-Heptane	J	2	>30	35%
Formaldehyde 37%	T	1	>10	28,8%


RISKS FROM WHICH THE DPI IS DESIGNED TO PROTECT:

COD		Protection
K Sodium hydroxide 40%	CAS:1310-73-2	Protection from use of inorganic bases
P Hydrogen peroxide 30%	CAS: 7722-84-1	Protection from use of peroxides
n-Heptane	CAS: 142-82-5	Protection from the use of saturated hydrocarbons

RECOMENDATIONS OF USE Multi-purpose glove to protect the hand and/or the handled product, can also be used for general uses ■ The glove is suitable for contact with pure chemical products for a period of less than the permeation time indicated in the chemical resistance table ■ Results obtained under laboratory conditions may not reflect actual working time **WARNINGS** Before using the product, try it in the real condition of use ■ The glove is a device subject to wear, so frequent replacement is recommended and in all cases where imperfections are observed ■ Wear gloves with dry, clean hands ■ In rare cases where transient hypersensitive skin reactions may occur, discontinue use and consult a doctor ■ Do not use gloves when there is a risk of getting caught in moving machine parts **STORAGE AND DISPOSAL**

REFLEXX S.P.A. UNIPERSONALE VIA PASSERI, 2 - 46019 VIADANA (MN) | TEL. + 39 0375 758891

 Cap.Soc. 1.200.000 € (i.v.) | PIVA 02085450209 | M5UXCR1 | R.E.A. 223166 | info@reflexx.com www.reflexx.com


5010014617

Store the gloves in their original packaging in a dry place ■ Do not expose to direct sunlight and heat sources. ■ The expiry date is 3 years from the date of manufacture indicated on the sales package, and is valid for the product properly stored ■ Gloves must be disposed of according to local regulations ■ Declaration of Conformity on www.reflexx.com